



— PRODUCT DATA SHEET

T² QC



T² QC

PRODUCT DESCRIPTION

These 97 mm pack a punch. This is a multicolor LED for white, red, green and blue light. This makes the Ledlenser T²QC the ideal companion for hunters and anglers. Red light, after all, provides glare-free night vision; green light is suitable for observing game; and blue light makes fluids like blood visible. It is hard to believe that such a small light can have so many functions. So it would be better to see for yourself!

- The tracking flashlight in the T series – A Multicolor LED with white, red, green and blue light
- Protection against intensive jet spray – IPX6
- Simple to use – Employ the rotary switch to select the desired colors
- Excellent Ledlenser lighting quality – Brightness, beam distance and lighting duration are ideally coordinated for the energy source
- Battery operated – Three AAA alkaline batteries (micro, 1.5 V) are used



TECHNICAL DATA

Length defocused [mm]	97
Head diameter [mm]	30.5
Weight incl. batteries [g]	106
Weight without batteries [g]	74
Focus function	No
Head material	Aluminum alloy
Tube material	Aluminum alloy
Optic	Plastic lense (PMMA)
Cartridge	Yes

POWER SUPPLY

Power source type	Battery
Battery quantity	3
Battery type	Alkaline
Rechargeable	No
Energy modes	Energy Saving
Usable batteries	AAA NiMH 1.2V

FURTHER SPECIFICATIONS

IP class	IPX6
Drop test (drop height) [m]	1
Working temperature range [°C]	-20 to +40

LIGHT FUNCTIONS

Power

LIGHT SOURCE

Amount LEDs	1
LED type	Multicolor LED
Color	W/R/G/B
Color temperature [K]	450 to 8500
Color rendering index (CRI)	75

LIGHT VALUES

ANSI – Energy Saving	Boost	Power	Mid Power	Low Power
Light output ¹ [lm]		140		
Beam distance ¹ [m]		25		
Run time ¹ [h]		4		

SWITCH

Rotary Switch

T² QC

PACKAGING AND LOGISTICS



Exemplary Packaging Illustration

PACKAGING INFORMATION

Type of packaging	Gift Box
Scope of delivery	1 set of batteries, Hand strap
Item No.	9802-QC
Customs tariff number	85131000000
Color	black
MSRP price (€)	37.90

SINGLE PACKAGE

Dimensions W x H x D [cm]	14.9 x 5.4 x 6
Gross weight [g]	185
GTIN-13	4029113980234

INNER CARTON

Unit	6
Dimensions W x D x H [cm]	19.2 x 15.4 x 11.9
Gross weight [g]	1228
GTIN-13	4029113980241

EXPORT CARTON

Unit	48
Dimensions W x D x H [cm]	41.5 x 34 x 28.5
Gross weight [kg]	10.6
GTIN-13	4029113980258

T² QC

ACCESSORIES

PRODUCT CATEGORY	ITEM NUMBER	PRODUCT NAME	MSRP
Pouches / Holster	0337	Pouch Type D	9.90 €
Fastenings / Brackets	0362	Universal Mounting System	14.90 €

T² QC

PRODUCT SERIES

The Ledlenser T-Series

The best tactic is activation.

The "T" in this flashlight's name stands for "tactical" - although the word "tough" would do just as well. After all we developed this series for tough firefighting, police, rescue, security and technical emergency missions. All T models are therefore extremely robust, very powerful, functional and easy to use. The reason why hunters and anglers value these characteristics so much is just as clear as the shining bright light of the products of the T-series.

FOOTNOTES

The information pertaining to scope of delivery, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change scope of delivery, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and omissions excepted.

1) Measurement values according to ANSI FL1 in the respective setting. If no setting is explicitly indicated, the values refer to luminous flux (lumens/lm) and lighting range (meters/m) on the highest setting, and to battery duration (hours/hrs/h) on the lowest setting. A boost function (if available) can be used several times, but only for short periods of time. If the light is equipped with (a) colored LED(s), the measurement values are given for the white light or the white LED. If the light has different energy modes, the measurement is made based on the "energy saving mode".

4) Warranty period of five years from the date of purchase, seven years if the product is registered online on our website. The warranty is valid worldwide and legal warranty rights also apply. It covers defects in materials and workmanship. For the proper functioning of rechargeable batteries a different warranty period of 24 months applies. Excluded from this warranty are the product series "Solidline", Ledlenser K1 and Ledlenser K2. The warranty does not apply to Defects in batteries, holsters, pouches, remote switches, color filters, imprints or surface coatings. The guarantor is Ledlenser GmbH & Co. KG, Kronenstr. 5 - 7, 42699 Solingen, Germany. More information: ledlenser.com/warranty