

# PRODUCT DATA SHEET MH10





2 - PRODUCT DATA SHEET V240925

# MH10

### PRODUCT DESCRIPTION



TECHNICAL DATA	
Head diameter [mm]	36
Weight incl. batteries [g]	158
Weight without batteries [g]	110
Focus function	Yes
Head material	Aluminum alloy
Tube material	PC
Optic	Plastic lense (PMMA)
Headband material	Elastic fabric
Headband type	Side headband
Head movement type	Stepped movement
Head movement angle [°]	65
Headband specifications	Detachable,
	Elastic,
	Washable

POWER SUPPLY	
Power source type	Rechargeable battery
Battery quantity	1
Battery type	Li-ion
Battery replaceable	Yes
Total battery voltage [V]	3.6
Total battery capacity [mAh]	3200
Total battery energy <sup>2</sup> [Wh]	11.52
Rechargeable	Yes
Charging time <sup>5</sup> [min]	360
Energy modes	Constant Current, Energy Saving
Energy status indicator	Charge Indicator, Low Battery Warning

SWITCH		
Front Switch		
Tronc Switch		

FURTHER SPECIFICATIONS		
IP class	IP54	
Drop test (drop height) [m]	2	
Working temperature range [°C]	-20 to +40	

#### LIGHT FUNCTIONS

Mid Power, Power, Low Power

LIGHT SOURCE	
Amount LEDs	1
LED type	Xtreme LED
Color	White
Color temperature [K]	6000 to 8000
Color rendering index (CRI)	65

LIGHT VALUES				
ANSI – Energy Saving	Boost	Power	Mid Power	Low Power
Light output <sup>1</sup> [lm]		600	250	10
Beam distance <sup>1</sup> [m]		150	100	20
Run time <sup>1</sup> [h]		10	15	120
ANSI – Constant Current	Boost	Power	Mid Power	Low Power
ANSI – Constant Current Light output <sup>1</sup> [lm]	Boost	Power 400	Mid Power	Low Power
	Boost		Mid Power	
Light output <sup>1</sup> [lm]	Boost	400	Mid Power	10
Light output¹ [lm]  Beam distance¹ [m]	Boost	400	Mid Power	10

#### **TECHNOLOGIES**

Advanced Focus System³, Smart Light Technology, Temperature Control System, Rapid Focus



3 - PRODUCT DATA SHEET v240925

# MH10

### PACKAGING AND LOGISTICS



Exemplary Packaging Illustration

#### PACKAGING INFORMATION

Type of packaging	Window Box
Scope of delivery	1 set of rechargeable batteries,
	Filter set,
	Pouch,
	USB cable
Item No.	501513
Customs tariff number	85131000000
Color	black
MSRP price (€)	99.90

SINGLE PACKAGE	
Dimensions W x H x D [cm]	15 x 12 x 8.5
Gross weight [g]	377
GTIN-13	4058205014533

INNER CARTON	
Unit	6
Dimensions W x D x H [cm]	38 x 15.8 x 18.5
Gross weight [g]	2445
GTIN-13	4058205014588

EXPORT CARTON	
Unit	24
Dimensions W x D x H [cm]	41.5 x 34.5 x 41
Gross weight [kg]	10.6
GTIN-13	4058205014595



4 - PRODUCT DATA SHEET v240925

# MH10

### **ACCESORIES**

PRODUCT CATEGORY	ITEM NUMBER	PRODUCT NAME	MSRP
Battery	501001	18650 Li-lon rechargeable Battery 3000 mAh	24.90 €
Charger / Cable	0380	USB Car Charger	9.90 €
Battery	502126	Powerbank Flex3	34.90 €
Battery	502125	Powerbank Flex7	54.90 €
Battery	502595	Li-Ion direct USB rechargeable battery 2500 mAh	24.90 €



5 - PRODUCT DATA SHEET v240925

### MH10

#### **FOOTNOTES**

The information pertaining to scope of delivery, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change scope of delivery, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and omissions excepted.

1) Measurement values according to ANSI FL1 in the respective setting. If no setting is explicitly indicated, the values refer to luminous flux (lumens/lm) and lighting range (meters/m) on the highest setting, and to battery duration (hours/hrs/h) on the lowest setting. A boost function (if available) can be used several times, but only for short periods of time. If the light is equipped with (a) colored LED(s), the measurement values are given for the white light or the white LED. If the light has different energy modes, the measurement is made based on the "energy saving mode".

- 2) Calculated capacity value in watt-hours (Wh). This applies to the delivery state of the battery/ies inside the respective item, or for lights with rechargeable battery/ies, to the rechargeable battery/ies inside the product when fully charged.
- 3) EP Patent 1880139, US Patent 7,461,960
- 4) Warranty period of five years from the date of purchase, seven years if the product is registered online on our website. The warranty is valid worldwide and legal warranty rights also apply. It covers defects in materials and workmanship. For the proper functioning of rechargeable batteries a different warranty period of 24 months applies. Excluded from this warranty are the product series "Solidline", Ledlenser K1 and Ledlenser K2. The warranty does not apply to Defects in batteries, holsters, pouches, remote switches, color filters, imprints or surface coatings. The guarantor is Ledlenser GmbH & Co. KG, Kronenstr. 5 7, 42699 Solingen, Germany. More information: ledlenser.com/warranty
- 5) Charging time varies by hardware used.

